

**Description of the measure**

Teenage girls and women 16-24 years old who were identified as sexually active and had at least one test for chlamydia in the calendar year

**Exclusions**

A pregnancy test followed by a prescription for isotretinoin or an x-ray performed on or within six days of date of the pregnancy test

**Who should be tested?**

- Sexually active girls or women between 16-24 years of age
- Women who have experienced any of the following:
  - Pregnancy testing
  - Birth control
  - Gynecological services
  - History of sexually transmitted diseases
  - History of sexual assault or abuse
  - Vague comments of sexual relations

**Tips for best practice**

- Perform this screening at the same time as a pap test
- Provide the option of urine testing
- Initiate a conversation about confidential sexual history with adolescent patients
- Explain the complications of undiagnosed and untreated sexually transmitted infections (STIs) and lifelong gynecological problems
- Follow the 5 P's of sexual health:
  - Partners
  - Practices
  - Protection from STDs
  - Past history of STDs
  - Prevention of pregnancy

Description	CPT codes
Chlamydia tests	87110, 87270, 87320, 87490, 87491, 87492, 87810
Pregnancy test exclusion	81025, 84702, 84703

<sup>1</sup> HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA)  
MCC-PRV-ALL-10906-19\_G